Reply to Office action of October 10, 2006

Amendments to the Claims:

1 - 4. (Canceled)

5. (previously presented) An orthotic device for providing motion to an elbow joint of a

user having an upper arm and a forearm, said device comprising:

a frame member;

a means for attaching said upper arm to said frame member;

an inflatable member positioned adjacent said forearm;

a strap connecting said inflatable member to said frame member such that a portion of

said forearm is positioned intermediate said frame member and said inflatable member with a

gap being present between said forearm portion and said frame member; and

an inflation device for inflating said inflatable member such that said elbow joint tends to

be bent as said forearm pivots relative to and towards said frame member and said gap tends to

be at least partially closed.

6. (previously presented) The orthotic device as claimed in claim 5, wherein said

inflatable member is in contact with said forearm.

7. (previously presented) The orthotic device as claimed in claim 5, wherein said frame

member does contact said elbow.

8. (previously presented) The orthotic device as claimed in claim 5, wherein said means

for attaching is comprised of straps.

2 of 8

Reply to Office action of October 10, 2006

9. (Presently Amended) An orthotic device for moving an arm of a user so that abduction of the shoulder is provided, said device comprising:

a chest strap for passing around the chest of said user;

a spacing wedge attached to said strap for positioning underneath the armpit of said user; an inflatable member attached to said spacing wedge for positioning between said

spacing wedge and the upper arm of said user:

a shoulder-to-crotch strap attached to said chest strap, for extending to underneath the groin region of of said user in order to provide support for pulling the scapula downwardly, thus tending to isolate motion to the glenohumeral joint; and

a device for inflating said inflatable member such that abduction of the shoulder is provided while said shoulder-to-crotch strap tends to isolate motion to the glenohumeral joint.

10. (previously presented) An orthotic device for moving an arm of a user so that external rotation of the shoulder is provided, said device comprising:

a strap for passing around the chest of said user and around said upper part of said user's arm, such that said upper part of said user's arm is urged towards the side of said user;

an inflatable member attached to said strap;

a spacing wedge, comprised of an inflated bag, for use intermediate said inflatable member and the stomach region of said user for spacing purposes such that said forearm of said user and said spacing wedge combine to capture said inflatable member there between; and

a device for inflating said inflatable member such that external rotation of the shoulder is provided.

Reply to Office action of October 10, 2006

11. (Presently Amended) An orthotic device for manipulating a user's limb having a

joint, said device comprising:

a structural body portion;

an inflatable member;

a retention member interconnecting said structural body portion and said inflatable

member such that a portion of said limb can be inserted at a location between said structural

body portion and said inflatable member and such that said limb portion is in contact with said

inflatable member; and

an inflating device for inflating said inflatable member so that it increases in size, such that as said inflatable member is inflated, said inflatable member tends to increase tension in

said retention member push against said limb such that said limb is urged towards said

structural body portion in such a manner as to result in flexion or extension of said joint.

12. (previously presented) An orthotic device for use by a user in combination with an elongate substantially rigid frame member, said device configured for providing movement to a

knee joint of a leg of said user and comprising:

at least one flexible strap having a first end and a second end, said first end configured to

be attached to said frame member:

an inflatable member including an inflatable bladder, said inflatable member when in

place configured for being spaced from said knee joint and attached to said second end of said strap such that said leg can be positioned between said inflatable member and said frame

member wherein a gap is present between said knee joint of said user and said frame member:

and

a pump for inflating said inflatable member such that as said inflatable member expands,

said flexible strap is placed in tension such that said inflatable member exerts a force against said

leg and causes said gap to be reduced upon expansion of said bladder.

4 of 8

Reply to Office action of October 10, 2006

13. (previously presented) The device as claimed in claim 12, further comprising an

ankle support member attached to said frame member, wherein said leg is captured on one side

by said inflatable member and on the other side by said frame member and said ankle support

member.

14. (previously presented) The device as claimed in claim 12, wherein said elongate

substantially rigid frame member comprises a crutch.

15. (previously presented) The device as claimed in claim 12, further comprising a

quick release means for deflating said inflatable member.

16. (previously presented) An orthotic device for use by a user in combination with an

elongate substantially rigid frame member, said device configured for providing movement to a

knee joint of a leg of said user and comprising:

at least one flexible strap having a first end, a second end, and a medial portion

there between, wherein said first end and said second end are configured to be attached to

said frame member:

an inflatable member including an inflatable bladder, said inflatable member

when in place configured for being spaced from said knee joint and attached to said medial portion of said strap such that said inflatable member is captured between said

strap medial portion and said leg; and

a pump for inflating said inflatable member such that as said inflatable member

expands, said flexible strap is placed in tension such that said inflatable member exerts a force against said leg and causes said gap to be reduced upon expansion of said inflatable

bladder.

5 of 8